

SUBJECT: MWDSC Request for Additional Time for SB 88 Compliance Plan

January 13, 2022

To: Russ Ryan (rryan@mw dh2o.com)

Cc: Patrick Neu, John Collins, Lindsay Kammeier, Kristi Matal

Russ,

Thank you for your response to my suggestions and for revisions to Metropolitan's four Phased Measurement Implementation Plans for attaining compliance with the diversion measurement regulation (23 CCR §933) implementing Water Code §1840 on Bacon and Bouldin Islands and Holland and Webb Tracts.

Pursuant to the provisions of 23 CCR §936, Metropolitan's request for Additional Time to attain compliance is hereby granted. This extension will expire on January 1, 2024. Assuming it will be necessary to make another request for Additional Time to fully implement the Plans, Metropolitan should file another request, including a progress report, not later than November 1, 2023.

My colleagues and I appreciate Metropolitan's cooperation with our Office to meet the objectives of section 1840, notwithstanding the unforeseen challenges in the Delta. We also appreciate Metropolitan's continued research and contributions to the Delta Measurement Experimentation Consortium.

Michael

Michael Patrick George
Delta Watermaster
State Water Resources Control Board
1001 I Street
Sacramento, CA 95814
Direct: (916) 445-5962
Mobile: (916) 539-1889
Email: michael.george@waterboards.ca.gov

Administrative Assistant and Scheduling Coordinator
Beba Maletic
(916) 341-5615
beba.maletic@waterboards.ca.gov